PC Cable World™

12-PORT UNLOADED KEYSTONE PATCH PANEL

SKUS

NP-4512





FEATURES

- 1U 12-Port Modular Insert Patch Panel 19”
- Use with PC Cable World slim line data jacks less than 18.5 mm width, which includes various networking, audio, and video keystones
- Customizable, allows for replacing of damaged ports, adding new runs, or scaling up
- Rack-mountable, fits within any standard 19” rack or cabinet
- Labels and numbering on the front provide space for adding identification
- Wire on rear of patch panel for grounding
- Mounting hardware not included with patch panel
- RoHS compliant

AVAILABLE COLOURS

SIZE (WXDXH)

482 x 12 x 44 mm



MATERIALS

FRONT PANEL	SPCC (Metalic Panel) 0.8mm thickness
BACK PANEL	SPCC (Metalic Panel) 1.6mm thickness

SPECIFICATIONS

UL APPROVED | 3P THIRD PARTY TESTED | ROHS COMPLIANT

TOLERANCE	X ± 1 | .X ± 0.2 | .XX ± 0.15

© PC Cable World. All rights reserved.

PC Cable World product specifications are subject to change without notice, but are accurate at the time of printing. Please contact a sales representative for current specs. Please note that all physical specifications are nominal.

www.pccableworld.com

PC Cable World™

24-PORT UNLOADED KEYSTONE PATCH PANEL

SKUS

NP-4524





FEATURES

- 1U 24-Port Modular Insert Patch Panel 19”
- Use with PC Cable World slim line data jacks less than 18.5 mm width, which includes various networking, audio, and video keystones
- Customizable, allows for replacing of damaged ports, adding new runs, or scaling up
- Rack-mountable, fits within any standard 19” rack or cabinet
- Labels and numbering on the front provide space for adding identification
- Wire on rear of patch panel for grounding
- Mounting hardware not included with patch panel
- RoHS compliant

AVAILABLE COLOURS

SIZE (WXDXH)

482 x 12 x 44 mm





MATERIALS

PANEL	SPCC (Metal)

SPECIFICATIONS

UL APPROVED | 3P THIRD PARTY TESTED | ROHS COMPLIANT

TOLERANCE	X ± 1 | .X ± 0.2 | .XX ± 0.15

© PC Cable World. All rights reserved.

PC Cable World product specifications are subject to change without notice, but are accurate at the time of printing. Please contact a sales representative for current specs. Please note that all physical specifications are nominal.

www.pccableworld.com

48-PORT UNLOADED KEYSTONE PATCH PANEL

SKUS

NP-4548

FEATURES

- 2U 48-Port Modular Insert Patch Panel 19”
- Use with PC Cable World slim line data jacks less than 18.5 mm width, which includes various networking, audio, and video keystones
- Customizable, allows for replacing of damaged ports, adding new runs, or scaling up
- Rack-mountable, fits within any standard 19” rack or cabinet
- Labels and numbering on the front provide space for adding identification
- Wire on rear of patch panel for grounding
- Mounting hardware not included with patch panel
- RoHS compliant



AVAILABLE COLOURS

SIZE (WXDXH)

482 x 12 x 88 mm



MATERIALS

PANEL	SPCC (Metal)

SPECIFICATIONS

UL APPROVED | 3P THIRD PARTY TESTED | ROHS COMPLIANT

TOLERANCE	X ± 1 | .X ± 0.2 | .XX ± 0.15

© PC Cable World. All rights reserved.

PC Cable World product specifications are subject to change without notice, but are accurate at the time of printing. Please contact a sales representative for current specs. Please note that all physical specifications are nominal.

www.pccableworld.com