



SC-SC/APC SM DUPLEX 9/125 FIBER OPTICAL CABLE

SKUS	SCSCA03SD	(3')	SCSCA33SD	(33')
	SCSCA06SD	(6')	SCSCA50SD	(50′)
	SCSCA10SD	(1Ó')	SCSCA65SD	(65')
	SCSCA15SD	(15′)	SCSCA75SD	(75′)
	SCSCA25SD	(25')	SCSCA100SD	(10Ó′)



FEATURES

- SC/UPC-SC/APC OM2 Single-Mode Duplex Cable 9/125µm
- · Perfect for fast Ethernet, gigabit Ethernet, and other data applications
- Ideal solution for long-range networking
- · UL listed and OFNR (riser) rated
- · Suitable for use in upright shafts between building floors
- Compliant with ITU-T standard G657A1
- Features a standard SMF yellow jacket and Corning core
- Each cable is individually packed in a zip bag for convenience



MATERIALS

(1)	OD: 2.0mm, Singlemode 9/125 G657A1, Corning Fiber, Duplex Cable, PVC, Colour: Yellow	
(2)	SC/UPC SM 2.0mm Duplex Connector (Blue Housing Blue Boot)	
(3)	Cable Marker	
(4)	Black Shrinkage Tube	
(5)	SC/APC SM 2.0mm Duplex Connector (Green Housing Green Boot)	

CABLE LENGTH AND TOLERANCE

CABLE LENGTH<1M	5cm	
1M≤CABLE LENGTH<15M	10cm	
15M≤CABLE LENGTH<30M	15cm	
CABLE LENGTH≥30M	Cable Length*1%	

SPECIFICATIONS

INSERTION LOSS	≤ 0.3 dB	
RETURN LOSS	≥ 60 dB (APC), ≥ 55 dB (UPC)	
A-B / B-A		

© PC Cable World. All rights reserved.

PC Cable World product specifications are subject to change without notice, but are accurate at the time of printing. Please contact a sales representative for current specs. Please note that all physical specifications are nominal.